

# Modular Patch Panels for Snap-In Connectors

## Patch Panel 24 Snap-In Black

**Nexans Ref.:** N521.664BK

- Compatible with all LANmark Snap-In connectors
- 24 Snap-In ports with shutters
- Clip-on mechanism
- Exclusive Auto-Connect Earthing system
- Universal design supporting Unscreened and Screened connectors
- Tie Wrap features for cable strain relief

### DESCRIPTION

Nexans Snap-In range of patch panels are designed to accommodate any of the Snap-In connectors in the LANmark product family (LANmark-7A, LANmark-7, LANmark-6A, LANmark-6, and LANmark-5).

The Snap-In panels feature an exclusive Clip-On system to secure the connector in the panel and to provide a simple means of earthing shielded connectors to facilitate installation. Connection of the panel to earth is achieved with a unique Auto-Connect feature removing the need for individual bonding conductors.


The panels also have a series of complementary cable management products such as blank panels and patch cord guides.

The patch panels are designed for standard 19" enclosures, are 1U high, and support the following common features:

- 24 Ports with shutters
- Designed for Screened and Unscreened Snap-In connectors
- Compatible with all performance categories of connector
- Clip-On mechanism for simple earthing
- Exclusive rear cable management facilities
- Robust construction
- Printed numbering for port labelling

This panel has "T" slots to facilitate strain relief of cables using cable ties for the protection of connector terminations from pulling forces.

A bag of 25 black nylon cable ties is included with every panel.



**LANmark**

### STANDARDS

International ISO/IEC 11801

# Modular Patch Panels for Snap-In Connectors

## Patch Panel 24 Snap-In Black

### CHARACTERISTICS

#### Construction characteristics

Colour	Black
Material	Steel

#### Dimensional characteristics

Height/unit	1 U
Depth	75 mm
Width	19 inches
Wall thickness	- mm
Approximate weight per piece	- kg

#### Usage characteristics

Field of application	Fixed installations
Resistance to vibrations	-
Mechanical Resistance	Good mechanical resistance
Mechanical durability/matings	-
Number of ports	24
Packaging	Box