


Data Sheet | Item Number: 770-623

Mounting plate; 3-pole; for distribution connectors; Plastic; black


<https://www.wago.com/770-623>



Color: ■ black



Dimensions in mm



Dimensions in mm

Mounting accessories *WINSTA*® MIDI 3-pole

The mounting accessories from the *WINSTA*® MIDI product line is the sophisticated solution for reliable installation. You can rely on the level of quality of *WINSTA*® components from WAGO for your electrical installation accessories too. The *WINSTA*® MIDI Pluggable Connection System with Push-in CAGE CLAMP® spring pressure connection technology facilitates precise electrification. Due to the built-in test slot, connections can be checked even when they are plugged in. That saves time and reduces installation labor and costs.

Push-in CAGE CLAMP® spring pressure connection technology – pluggable installation instead of laborious screw connections!

The *WINSTA*® Pluggable Connection System is perfectly tailored to the very strict requirements of building installation. It makes electrical installation pluggable, and thus faster, even more reliable, and error-free. Using this pre-assembled system decreases time spent on assembly and installation errors at the construction site. Now you can also reduce installation costs without compromising safety and quality: The *WINSTA*® MIDI accessory reduces the need for servicing and prevents unnecessary downtime.

- pre-assembled versions
- convenient installation and commissioning

Connection data

Connection 1

Pole number	3
-------------	---

Mechanical data

Mounting type	Screw mount
Suitable	for distribution connectors (except T-distribution connectors); 3-pole

Material data

Note (material data)	Information on material specifications can be found here
Color	black
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.149 MJ
Weight	4.6 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures \leq 105 °C

Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	25 pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332755382
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance 770-623



Documentation

Bid Text			
770-623	19.02.2019	xml 2.55 KB	↓
770-623	14.01.2015	doc 22.50 KB	↓
ausschreiben.de 770-623			↓

CAD/CAE-Data

CAD data	
2D/3D Models 770-623	↓

CAE data	
WSCAD Universe 770-623	↓
ZUKEN Portal 770-623	↓

1 Compatible Products

1.1 Optional Accessories

1.1.1 Installation

1.1.1.1 Mounting accessories



Item No.: 890-601

Fixing pin; 5 mm Ø, for 1.5 ... 2.5 mm mounting plates; Plastic; black

Item No.: 770-601

Fixing pin; 6 mm Ø, for 2.5 ... 4.0 mm mounting plates; Plastic; black